

Index

Subjects

Acanthosis nigricans
and diabetes mellitus, 288

Acne
and vitamin A, 357
changes in sebum composition, 18
fulminans treated with steroids and azathioprine, 463
naevus, 357
treatment with low dose cyproterone acetate and minocycline, 319

Acromegaly
and ingrowing finger nails, 343

Action spectrum
in solar urticaria, 455
of three coal tar preparations, 400

Adenoid cystic carcinoma
of the skin, 378

AIDS
and cutaneous cryptococcosis, 446

Alopecia areata
treatment with a contact allergen, 260

Arthropod bites
investigation and management, 114

Atopic dermatitis
cutis verticis gyrata, 293
cyclic nucleotide metabolism, 424
pompholyx occurring during treatment of, 189
screening for cataracts, 21
the 'dirty neck', 1
treatment with salbutamol, 323

Atopy
from a respiratory physician's standpoint, 77

Azathioprine
acne fulminans, 463
non-Hodgkins lymphoma, 444

Bleomycin
linear streaking, 457

Blood supply

colour changes during Raynaud's phenomenon, 339

Branhamella catarrhalis
a possible skin pathogen, 317

Book Reviews

A Colour Atlas of AIDS by C.F. Farthing, S.E. Brown, R.C.D. Staughton, J.J. Cream and M. Muhlemann, 314

A Colour Atlas of Infectious Diseases; Vascular Birthmarks; Structural Glycoproteins in Cell-matrix Interactions 467

A Guide to Drug Eruptions edited by W. Bruinsma, 393

Advances in Dermatology edited by J.P. Callen, M.V. Dahl, L.E. Golitz, J.E. Rasmussen and S.J. Stegman, 74

Arthropods and Human Skin by J. O'Donel Alexander, 157

Atlas of Skin Pathology by R. Marks, A. Knight and P. Laidler, 390

Clinical Dermatology: an Illustrated Textbook by Rona M. Mackie, 390

Current Therapy in Dermatology edited by Provost and Farmer, 314

Cutaneous Photobiology by W. Frain-Bell, 241

Diagnostic Picture Tests in Dermatology by G.M. Levene and S.K. Goolamali

Iatrogenic Diseases edited by P.F. D'Arcy and J.P. Griffin, 389

Management of Advance Melanoma edited by L. Nathanson, 393

Management of Skin Diseases edited by C.F.H. Vickers, 314

New Trends in Allergy II edited by F. Ring and G. Burg, 392

Patch Testing-Test Concentrations and Vehicles for 2800 Allergens by A.C. de Groot, 389

Pathology of Unusual Malignant Cutaneous Tumours edited by M.R. Wick, 392

Pinkus' Guide to Dermatohistopathology by A.J. Mehregan, 157

Practical Pediatric Dermatology by W.L. Weston, 74

Scientific Basis of Dermatology edited by A.J. Thodey and P.S. Friedmann, 392

Textbook of Dermatology edited by A. Rook, D.S. Wilkinson, F.J.G. Ebling, R.H. Champion and J.L. Burton, 391

Textbook of Psoriasis by P.D. Mier and P.C.M. Van de Kerkhof, 241

Tropical Steroids for Skin Disorders by M. Clement and A. du Vivier, 394

Urticaria by B.M. Czarnetzki, 241

Cats
cowpox from a cat, 286

Cataracts
in patients with severe atopic eczema, 21

Cellular pharmacology of the skin, Stockholm 1986, 136

Cheyletiella Dermatitis
immunological hypersensitivity in its pathogenesis, 381

Chronic lymphatic leukaemia
Sweet's syndrome, 277

Chronic venous stasis
in leg ulcer patients, 410

Coal tar
UV erythema action spectra, 400

Connective tissue disorders, 216

Construction workers
rubber allergy, 332

Contact dermatitis
binding of nickel to the mononuclear cells, 265
rubber allergy, 332

Corticosteroids
acne fulminans, 463
characterization of the glucocorticoid receptor in human epidermis, 830
comparison of the glucocorticoid receptors of the rat, 89
control of the bioavailability of topical steroid, 406

Cowden's disease, 360

Cowpox, 286

Cryotherapy, 121

Cryptococcosis
in a haemophilia patient with AIDS, 446

Cutaneous amyloid, 460

Cutaneous calcinosis
in erythromelanos follicularis faciei et colli, 31

Cutaneous leishmaniasis
the T cell phenotypes, 103

Cutaneous myiasis
dermatobia hominis, 40

Cutis verticis gyrata, 293

Cyclic nucleotides, 424

Cyclosporin
hypertrichosis, 191

Cyproterone acetate
acne vulgaris, 319

Dansyl chloride, 246

Dermatitis artefacta, 204

Dermatitis herpetiformis, 46

Dermatofibromas, 121

Dermatophytes
causing scalp ringworm, 171
presenting with unilateral lymphoedema, 385

Desquamation, 246

Diabetes mellitus
histological findings in clinically normal skin, 250
in a patient with Klinefelter's syndrome, 288
injection abscesses caused by *Mycobacterium cheloni*, 48

Dietary proteins, 419

Doppler flowmetry
assessment of skin tumours, 108

Dowling oration, 159

D-Penicillamine
dermopathy in Wilson's Disease, 66
induced pemphigus, 271
treatment of linear morphoea, 56

Eccrine epithelioma, 58

Ectoparasites
arthropod bite reactions acquired in the home, 114
Cheyletiella dermatitis, 381
papular urticaria, 200

Eczema
cyclic nucleotide metabolism, 424
juvenile plantar dermatosis, 5
pompholyx, 189
screening for cataracts, 21
the 'dirty neck', 1
trace element status, 93

Epidermolysis bullosa, 373

Erythema multiforme, 124

Erythroderma, 50

Erythromelanos follicularis faciei et colli
cutaneous calcinosis, 31
erythromelanos follicularis faciei et colli, 33

Etretinate
associated with calcifying arthropathy of the hips and diffuse hyperostosis, 129
efficacy for the PUVA dependent psoriatic, 98
tyrosinaemia type II Richner-Hanhart syndrome, 000
vertebral hyperostosis, 202

Follicular mucinosis
erythrodermic, 50
in association with Sezary syndrome, 207

Genodermatoses
 Cowden's disease, 360
 Rothmund-Thomson's congenital poikiloderma, 366

Glucocorticoid receptors
 characterization of, 83
 in the dermis and epidermis of the rat, 89

Granuloma annulare, 437

Hairy cell leukaemia, 451

Herpes simplex infections, 326

Histological techniques
 keratinocyte HLA-DR expression, 397
 labelling of cell surface antigens in cutaneous tissue, 79, 181
 natural killer cell monoclonal antibodies Leu 7 and Leu 11, 256

Historical articles, 26

Hodgkin's disease, 69

Hyperhidrosis, 298

Hyperostosis, 129, 202

Hypertrichosis, 191

Infantile acropustulosis, 291

Intermittent pneumatic compression, 350

Immunocompromised patients, 326

Immunology
 acne fulminans, 463
 basal cell tumour with eccrine differentiation, 58
 Cheyletiella dermatitis, 381
 isotype distribution of serum antibodies reactive with dietary proteins, 419
in situ lymphocyte subsets in alopecia areata, 260
 keratinocyte HLA-DR expression, 397
 leucocyte chemotaxis to antigens of dermatophytes, 171
 monoclonal antibody labelling of cell surface antigens in cutaneous tissue, 79, 181
 natural killer cell monoclonal antibodies Leu 7 and Leu 11, 256
 nickel-sensitive subjects, 265
 patients with cutaneous leishmaniasis, 103
 primary biliary cirrhosis, 46
 unilateral lymphoedema, 385

Itraconazole, 178

Jaundice, 112

Juvenile plantar dermatosis, 5

Keratinocyte HLA-DR expression, 397

Keratoacanthoma, 220

Klinefelter's syndrome, 288

Klippel-Trenaunay-Weber Syndrome, 12

Laser
 treatment of multiple angiokeratoma, 23

Leismaniasis, 211

Lichen myxoedematosus, 220

Lichen sclerosis et atrophicus, 126

Linear streaking, 457

Listrophorus gibbus, 200

Lupus vulgaris
 caries of the spine and lichen scrofulosorum, 280

Management
 of toxic epidermal necrolysis, 354

Mast cells, 366

Methotrexate, 243

Morphea
 treatment with D-penicillamine, 56

Multiple angiokeratoma
 treatment with the argon laser, 23

Mycobacterial infections
 causing multiple injection abscesses in a diabetic, 48
lupus vulgaris, caries of the spine and lichen scrofulosorum, 280
tuberculosis verrucosa cutis, 283

Mycology
 cutaneous cryptococcosis, 446
 dermatophyte infection presenting with unilateral lymphoedema, 385
 onychomycosis, 175
 pityriasis versicolor, 270
 scalp ringworm, 171
 tinea versicolor, 178

Mycosis fungoides
 hypopigmented, 453

Myxoedema, 216

Naevi
 an acne naevus, 357
 arborizing telangiectasia with gastrointestinal involvement, 273
 extensive congenital bilateral epidermal naevus syndrome, 132
 Klippel-Trenaunay-Weber syndrome, 12

Nail dystrophy
 ingrowing fingernails, 343

Necrobiosis lipoidica, 294

Nickel sensitivity, 265

Non-Hodgkin's lymphoma, 444

Non-invasive investigative techniques, 108

Normal skin, 250

Obituary
 Whittle Howard, 29

Obstructive arterial disease, 410

Patch testing, 204

Pemphigus
 foliaceous—treatment with adjuvant gold therapy, 364
 induction by X-ray irradiation, 197
 penicillamine-induced, 275
 vulgaris in young Asians, 214

Persistent skin pain, 403

Phototherapy, 112

Pigmentary anomalies
 due to Bleomycin, 457
 mycosis fungoides, 453

Pityriasis versicolor
 bifonazole therapy, 270
 treatment with itraconazole, 178

Plasmapheresis
 penicillamine-induced pemphigus, 275
 treatment of solar urticaria, 185

Polycythaemia rubra vera
 associated with pyoderma gangrenosum, 375

Pompholyx, 189

Porphyria, 61

Primary biliary cirrhosis, 46

Pseudoporphyria, 296

Psoriasis
 an index of disability, 8
 associated with etretinate therapy, 202
 calcifying arthropathy of the hips and diffuse hyperostosis, 129
 efficacy of etretinate, 98
 trace element status, 93
 ultrasound and radionuclide scans, 243

PUVA
 efficacy of etretinate, 98
 failure in lichen myxoedematosus, 220
 persistent skin pain, 403

Pyoderma gangrenosum
 associated with polycythaemia rubra vera, 375
 hairy cell leukaemia, 451

Raynaud's phenomenon, 339

Reticular erythematous mucinosis, 36

Rothmund Thomson's congenital poikiloderma, 366

Rubber allergy, 332

Salbutamol
 treatment of atopic dermatitis, 323

Sarcoidosis, 294

Scanning, 243

Sebum, 18

Sezary syndrome

in association with follicular mucinosis, 207

Skin tumours, 108

Society of cutaneous ultrastructural research, 224, 300

Split skin grafting, 000

Squamous carcinoma
 development with acceleration of associated multiple keratoacanthoms, 220
 with epidermolysis bullosa, 373

Stevens-Johnson syndrome, 124

Sweet's syndrome
 associated with chronic lymphatic leukaemia, 277
 use of potassium iodide, 345

Tetracyclines, 124

Therapy
 an effective treatment by plasmapheresis, 185
 arthropod bite reactions, 114
 characterization of the glucocorticoid receptor, 83
 comparison of cadoxemer iodine and dextranomer, 413
 comparison of desonide creams 0·05% and 0·1%, 406
 etretinate for the PUVA dependent psoriatic, 98
 for dermatofibromas, 121
 for post-thrombotic leg ulcers, 350
 in patients with onychomycosis, 175
 in pityriasis versicolor, 270
 of lichen sclerosus et atrophicus affecting males, 126
 of atopic dermatitis with salbutamol, 323
 of herpes simplex virus infections in immunocompromised patients, 326
 olfactory facial hyperhydrosis, 298
 penicillamine-induced pemphigus, 275
 pemphigus foliaceous, 364
 Sweet's syndrome: use of potassium iodide, 345
 treatment of multiple angiokeratomata, 23
 treatment of linear morphoea, 56
 treatment of widespread tinea versicolor, 178
 treatment with a contact allergen, 260
 warfarin skin necrosis, 370

Thyroid auto-immunity, 335

Tioconazole, 175

Tissue fibrinolysis, 437

Toxic epidermal necrolysis, 354

Tropical dermatoses
 human cutaneous myiasis, 40
 leishmaniasis contracted in Djibouti, 211
 T cell phenotypes in patients with cutaneous leishmaniasis, 103

Tuberculosis verrucosa cutis, 283

Tyrosinaemia, 440

Trace elements, 93

Ulcers
Branhamella catarrhalis, 317

comparison of cadexomer iodine and dextranomer, 413
 intermittent pneumatic compression treatment, 350
 leg ulcer patients, 410
Ultrastructural studies
 abstracts from 13th Annual Meeting of the Society of Cutaneous Ultrastructure Research and European Society for Comparative Skin Biology, 224, 300
 cervical nodular localized myxoedema in a thyroideotomy scar, 216
 extensive congenital bilateral epidermal naevus syndrome, 132
Urticaria
 association with thyroid auto-immunity, 335
 broadening of action spectrum, 455
 frequency and isotype distribution of serum antibodies reactive with dietary proteins, 419
 papular-produced by the mite *Lisotrophorus gibbus*, 200
Warfarin
 skin necrosis, 370
Wilson's disease
 D-penicillamine, 66
X-ray irradiation, 197

Authors

ADRIAANS, B. and NOBLE, W. *Branhamella catarrhalis* as a possible skin pathogen, 317
AITKEN, G. *see* SIGAL, M. *et al.*, 453
ALMEYDA, J.A. *see* MONK, B.E. *et al.*, 319
ARCHER, C.B. Cyclic nucleotide metabolism in atopic dermatitis, 424
ARCHER, C.B. and MACDONALD, D.M. Treatment of atopic dermatitis with salbutamol, 323
AUBER, M. *see* KURZROCK, R. *et al.*, 326
AVNSTORP, C. *see* SINDRUP, J.H. *et al.*, 410
BAARDEGAARD, O., LINDSKOV, R. and CLEMMENSEN, O.J. *In situ* lymphocyte subsets in alopecia areata before and during treatment with a contact allergen, 260
BAKER, D.J. *see* MYATT, A.E. *et al.*, 345
BAKER, H. *see* PHILLIPS, T. *et al.*, 444
BAKER, H. *see* SEQUEIRA, J. *et al.*, 58
BARKER, J.N.W.-N., OPHIR, J. and MACDONALD, D.M. Keratinocyte HLA-DR expression: the relationship to dermal lymphocytic infiltration, 397
BARNES, R.M.R. *see* LEWIS-JONES, M. S. *et al.*, 419
BARRY, B.W., FYRAND, O., WOODFORD, R., ULSHAGEN, K. and HOGSTAD, G. Control of the bioavailability of a topical steroid; comparison of desonide creams 0.05% and 0.1% by vasoconstrictor studies and clinical trials, 406
BASSET, F. *see* SIGAL, M. *et al.*, 453
BAXBY, D. *see* CASEMORE, D.P. *et al.*, 286
BEIGHTON, P. *see* VILJOEN, D. *et al.*, 12
BELAICH, S. *see* SIGAL, M. *et al.*, 453
BELTER, S. *see* CERIO, R. *et al.*, 79
BELTER, S.V. *see* CERIO, R. *et al.*, 181
BENNETT, M. *see* CASEMORE, D.P. *et al.*, 286
BERNE, B. and FISCHER, T. The UV erythema action spectra of three coal tar preparations, 400
BHALLA, A.K. *see* PAPASAVVAS, G.K. *et al.*, 202
BLACK, D. *see* HUGHES, B.R. *et al.*, 108
BLACK, D. *see* TAKAHASHI, M. *et al.*, 246
BLACK, M.M. *see* MEYRICK THOMAS, R.H. *et al.*, 126
BLANCHET-BARDON, C. *see* NAZZARO, V. *et al.*, 366
BOISNIC, S. *see* FARGE, D. *et al.*, 211
BORDALO, O. and GARCIA E SILVA, L. Tuberculosis verrucosa cutis with liver involvement, 283
BURBUJO, J. *see* JIMENEZ-ACOSTA, F. *et al.*, 446
BURKE, M. *see* O'BRYAN-TEAR, C.G. *et al.*, 69
BURNS, D.A. The investigation and management of arthropod bite reactions acquired in the home, 114
BURNS, D.A. Papular urticaria produced by the mite *Lisotrophorus gibbus*, 200
BURNS, D.A. Naproxen pseudoporphyria in a patient with vitiligo, 296
BYFIELD, D.M. *see* MYATT, A.E. *et al.*, 345
CALDERON, R.A. *see* MAYOU, S.C. *et al.*, 385
CALDWELL, I.W. *see* MONK, B.E. *et al.*, 319
CARTWRIGHT, P.H. and ROWELL, N.R. Hairy-cell leukaemia presenting with pyoderma gangrenosum, 451
CASADO, M. *see* JIMENEZ-ACOSTA, F. *et al.*, 146
CASEMORE, D.P., EMLIE, E.S., WHYLER, D.K., BAXBY, D., BENNETT, M. and DAVIES, A.B. Cowpox in a child, acquired from a cat, 286
CERIO, R., BELTER, S.V. and MACDONALD, D.M. The effect of fixation on monoclonal antibody labelling on cell surface antigens in cutaneous tissue, 181

CERIO, R., WELLS, R.S. and MACDONALD, D.M. Calcifying arthropathy of the hips and diffuse hyperostosis associated with etretinate, 129

CHALMERS, R.J.G. *see* MITCHELL, D. *et al.*, 243

CHAPMAN, R.S. *see* KEEFE, M. *et al.*, 343

CILLIERS, J. *see* LABADARIO, D. *et al.*, 432

CLAYTON, B. *see* HINKS, L.J. *et al.*, 93

CLAYTON, Y.M. *see* HAY, R.J. *et al.*, 175

CLEMENT, M.I., MHONOVAR, X.X.X., SALISBURY, J. and NEILL, S. Nodular localized primary cutaneous amyloidosis, 460

CLEMMENSEN, O.J. *see* BAARDSGAARD, O.J. *et al.*, 260

COLVER, G.B., MORTIMER, P.S., MILLARD, P.R., DAWBER, R.P.R. and RYAN, T.J. The 'Dirty Neck'—reticular pigmentation in atopics, 1

CORBETT, J.R. *see* EEDY, D.J., 298

COULSON, I.H. *see* O'BRYAN-TEAR, C.G. *et al.*, 69

COX, N.H. Arborizing telangiectasia with gastro-intestinal involvement, 273

COX, N.H., McCRUDE, D., MCQUEEN, A., JONES, S.K., ONG-TONE, L., FINLAY, A.Y. and FRIER, B.M. Histological findings in clinically normal skin of patients with insulin-dependent diabetes, 250

COX, N.H., WHITE, S.I., WALTON, S., WYATT, E.H. and MORLEY, W.N. Pyroderma gangrenosum associated with polycythaemia rubra vera, 375

CRONIN, E. *see* MAURICE, P.D.L. *et al.*, 204

CUNLIFFE, W.J. *see* HUGHES, B.R., 357

CURLEY, R.K., MACFARLANE, A.W., EVANS, S. and WOODROW, J.C. The treatment of linear morphea with D-penicillamine, 56

CURLEY, R.K. *see* LEWIS-JONES, M. SUSAN *et al.*, 419

CURLEY, R.K. *see* MACFARLANE, A.W., 354

CURLEY, R.K. and VERBOV, J.L. Stevens-Johnson syndrome due to tetracyclines—a case report (doxycycline) and review of the literature, 124

DALEY, T.D. *see* WYSOCKI, G.P., 191

DALZIEL, K. *see* HUGHES, B.R. *et al.*, 108

DAVID, M. and FEUERMAN, E.J. Induction of pemphigus by X-ray irradiation, 197

DAVIES, A.B. *see* CASEMORE, D.P. *et al.*, 286

DAWBER, R.P.R. *see* COLVER, G.B. *et al.*, 1

DEL PALACIO HERNANZ, A., LÓPEZ GÓMEZ, S. and IGLESIAS DIEZ, L. Short course bifonazole therapy in pityriasis versicolor, 270

DODD, H.J., SARKANY, I. and SADUDRIN, A. Reticular erythematous mucinosis syndrome, 36

DOOTSON, G. and SARKANY, I. D-penicillamine induced dermopathy in Wilson's disease, 66

DUSCHET, P., LEYEN, P., SCHWARZ, T., HÖCKER, P., GREITER, J. and GSCHNAIT, F. Solar urticaria—effective treatment by plasmapheresis, 185

DU VIVIER, A.W.P. *see* MONK, B.E., 294

DU VIVIER, A.W.P. *see* MONK, B.E. *et al.*, 319

EADY, R.A.J. Babes, blisters and basement membranes: from sticky molecules to epidermolysis bullosa, 159

ECZKES, K. *see* WALTON, S., 364

EEDY, D.J. and CORBETT, J.R. Olfactory facial hyperhydrosis responding to amitriptyline, 298

EMSLIE, E.S. *see* CASEMORE, D.P. *et al.*, 286

ENGELHART, M. and KRISTENSEN, J.K. Colour changes during 'Raynaud's phenomenon' and finger blood supply during direct and indirect cooling procedures, 339

ENGLISH, J.S.C. *see* JONES, S.K. *et al.*, 5

EVANS, C.C. Atopy from a respiratory physician's standpoint, 77

EVANS, S. *see* CURLEY, R.K. *et al.*, 56

FAIRRIS, G.M., KIRKHAM, N., GOODWIN, P.G., LEPPARD, B.J. and WHITE, J.E. Erythrodermic follicular mucinosis, 50

FARGE, D., FRANCES, C., VOULDOUKIS, I., WECHSLER, B., BOISNIC, S., MONJOUR, L. and GODEAU, P. Chronic destructive ulcerative lesion of the midface and nasal cavity due to leishmaniasis contracted in Djibouti, 211

FEINSTEIN, A. *see* KAHANA, M. *et al.*, 291

FEUERMAN, E.J. *see* DAVID, M., 197

FINDLAY, G.H. Neonatal phototherapy for jaundice—a dermatological assessment, 112

FINLAY, A.Y. and KELLY, S.E. Psoriasis—an index of disability, 8

FINLAY, A.Y. *see* COX, N.H. *et al.*, 250

FINN, R. *see* LEWIS-JONES, M. S. *et al.*, 419

FISCHER, T. *see* BERNE, B., 400

FORSYTH, A. *see* JONES, S.K. *et al.*, 5

FRANCES, C. *see* FARGE, D. *et al.*, 211

FRASER, N.G., MACDONALD, J., GRIFFITHS, W.A.D. and MCPHIE, J.L. Tyrosinaemia type II (Richner-Hanhart syndrome)—report of two cases treated with etretinate, 440

FRIER, B.M. *see* COX, N.H. *et al.*, 250

FYRAND, O. *see* BARRY, B.W. *et al.*, 406

GAN, S.L. *see* GOH, C.L., 332

GARCIA E SILVA, L. *see* BORDALO, O., 283

GAZIT, E. *see* HUSZAR, M. *et al.*, 103

GODEAU, P. *see* FARGE, D. *et al.*, 211

GOH, C.L. and GAN, S.L. Rubber allergy among construction workers in a prefabrication construction company, 332

GOODFELLOW, A. *see* MAYOU, S.C. *et al.*, 385

GOODWIN, P.G. *see* FAIRRIS, G.M. *et al.*, 50

GOOLAMALI S.K. *see* MUHLEmann, M.F., 214

GRAHAM-BROWN, R.A.C. *see* SHUTTLEWORTH, D. *et al.*, 288

GRATTAN, C.E.H. and HAMBURGER, J. Cowden's disease in two sisters, one showing partial expression, 360

GREAVES, M.W. *see* NORRIS, P.G. *et al.*, 403
 GREAVES, M.W. *see* RIVERS, J.K. *et al.*, 207
 GREEN, B. *see* MONK, B.E. *et al.*, 319
 GREITER, J. *see* DUSCHET, P. *et al.*, 185
 GRIFFITHS, W.A.D. *see* FRASER, N.G. *et al.*, 440
 GRIFFITHS, W.A.D. *see* LANE, R.P. *et al.*, 40
 GRIFFITHS, W.A.D. *see* MAURICE, P.D.L. *et al.*, 381
 GRIFFITHS, W.A.D. *see* WHITTAKER, S.J., 33
 GROSSIN, M. *see* SIGAL, M. *et al.*, 453
 GROTH, S. *see* SINDRUP, J.H. *et al.*, 410
 GSCHNAIT, F. *see* DUSCHET, P. *et al.*, 185

HABOUBI, N.Y. *see* MITCHELL, D. *et al.*, 243
 HAMBURGER, J. *see* GRATTAN, C.E.H., 360
 HAWK, J.L.M. *see* MURPHY, G.M., 455
 HAWK, J.L.M. *see* MURPHY, G.M. *et al.*, 61
 HAY, R.J., CLAYTON, Y.M. and MOORE, M.K. A comparison of tioconazole 28% nail solution versus base as an adjunct to oral griseofulvin in patients with onychomycosis, 175
 HAY, R.J. *see* MAYOU, S.C. *et al.*, 385
 HAY, R.J. *see* SUITE, M. *et al.*, 171
 HAZIZA, J.L. *see* SIGAL, M. *et al.*, 453
 HIGHET, A.S. *see* PENMETCHA, M. *et al.*, 220
 HINKS, L.H., YOUNG, S. and CLAYTON, B. Trace element status in eczema and psoriasis, 93
 HÖCKER, P. *see* DUSCHET, P. *et al.*, 185
 HOGSTAD, G. *see* BARRY, B.W. *et al.*, 406
 HOPKINSON, J.M. *see* PENMETCHA, M. *et al.*, 220
 HUGHES, B. *see* TAKAHASHI, M. *et al.*, 246
 HUGHES, B.R., BLACK, D., SRIVASTAVA, A., DALZIEL, K. and MARKS, R. Comparison of techniques for the non-invasive assessment of skin tumours, 108
 HUGHES, B.R. and CUNLIFFE, W.J. An acne naevus, 357
 HUSZAR, M., SHOR, R., TRAU, H., GAZIT, E. and PASSWELL, J.H. The T cell phenotypes in the lesion of patients with cutaneous leishmaniasis, 103

IGLESIAS DIEZ, L. *see* PALACIO HERNANZ, A. *et al.*, 270
 ILCHYSHYN, A., SMITH, A.G. and PHAURE, T.A.J. Sweet's syndrome associated with chronic lymphatic leukaemia, 277
 ISITOR, G.N. *see* OBASI, O.E., 132

JAKKULA, H. *see* SILVENNOINEN-KASSINEN, S. *et al.*, 265
 JIMENEZ-ACOSTA, F., CASADO, M., BURBUJO, J., SOTO-MELO, J., VIGUER, J.M. and SANJURJO, MARIA J. Cutaneous cryptococcosis mimicking molluscum contagiosum in a haemophiliac with AIDS, 446
 JOHNSON, K. *see* MONK, B.E. *et al.*, 319
 JOHNSON, P.M. *see* LEWIS-JONES, M. S. *et al.*, 419
 JOHNSON, R.J. *see* MITCHELL, D. *et al.*, 243
 JONES, C. *see* MAURICE, P.D.L. *et al.*, 204
 JONES, S.K., ENGLISH, J.S.C., FORSYTH, A. and MACKIE,

R.M. Juvenile Plantar Dermatoses—an 8-year follow-up of 102 patients, 5
 JONES, S.K. *see* COX, N.H. *et al.*, 250

KAHANA, M., SCHEWACH-MILLET, M. and FEINSTEIN, A. Infantile acropustulosis—report of a case, 291
 KARVONEN, J. *see* SILVENNOINEN-KASSINEN, S. *et al.*, 265
 KECZKES, K. *see* WALTON, S. *et al.*, 275
 KEEFE, M., CHAPMAN, R.S. and PEDEN, N.R. Ingrowing fingernails: an unusual complication of acromegaly successfully treated by conservative means, 343
 KELLY, S.E. Multiple injection abscesses in a diabetic caused by *Mycobacterium chelonei*, 48
 KELLY, S.E. *see* FINLAY, A.Y., 8
 KIISTALA, U. *see* PEKÄNMAKI, K. *et al.*, 350
 KIRKHAM, N. *see* FAIRRIS, G.M. *et al.*, 50
 KOLAI, P.J. *see* PEKÄNMAKI, K. *et al.*, 350
 KRISTENSEN, J.K. *see* ENGELHART, M., 339
 KRISTENSEN, J.K. *see* SINDRUP, J.H. *et al.*, 410
 KURZROCK, R., AUBER, M. and MAVLIGIT, G.M. Cimetidine therapy of herpes simplex virus infections in immunocompromised patients, 326

LABADARIO, D., CILLIERS, J., VISSER, L., VAN STUIJVENBERG, M.E., SHEPHERD, G.S., WIUM, D. and WALKER, R. Vitamin A in acne vulgaris, 432
 LANE, R.P., LOVELL, C.R., GRIFFITHS, W.A.D. and SONNEX, T.S. Human cutaneous myiasis—a review and report of three cases due to *Dermatobia hominis*, 40
 LANIGAN, S.W. and ROBINSON, T.W. Cryotherapy for dermatofibromas, 121
 LANIGAN, S.W., SHORT, P. and MOULT, P. The association of chronic urticaria and thyroid autoimmunity, 335
 LAROCHE, L. *see* SIGAL, M. *et al.*, 453
 LEIGH, I. *see* PHILLIPS, T. *et al.*, 444
 LEONARD, J. *see* MONK, B.E. *et al.*, 319
 LEPPARD, B.J. *see* FAIRRIS, G.M. *et al.*, 50
 LEVENE, G.M. *see* NORRIS, P.G., 189
 LEWIS-JONES, M. S., BARNES, R.M.R., MACFARLANE, A.W., CURLEY, R.K., JOHNSON, P.M. and FINN, R. Frequency and isotype distribution of serum antibodies reactive with dietary proteins in adults with chronic urticaria, 419
 LEYEN, P. *see* DUSCHET, P. *et al.*, 185
 LINDSKOV, R. *see* BAARDSGAARD, O. *et al.*, 260
 LOGAN, R.A. Efficacy of etretinate for the PUVA-dependent Psoriatic, 98
 LOGAN, R.A. *see* PAPASAVVAS, G.K. *et al.*, 202
 LÓPEZ GÓMEZ, S. *see* DEL PALACIO HERNANZ, A. *et al.*, 270
 LOVELL, C.R. *see* LANE, R.P. *et al.*, 40
 LOWE, D.G. *see* MEYRICK THOMAS, R.H. *et al.*, 378
 LOWE, D.G. *see* RADEMAKER, M., 457
 LYELL, A. Memories of working with Howard Whittle 1946–1953, 29

McCRUDEN, D. *see* COX, N.H. *et al.*, 250

MACDONALD, D.M. *see* ARCHER, C.B., 323

MACDONALD, D.M. *see* BARKER, J.N.W-N. *et al.*, 397

MACDONALD, D.M. *see* CERIO, R. *et al.*, 79, 129, 181

MACDONALD, D.M. *see* ZACHARY, C.B. *et al.*, 256

MACDONALD, J. *see* FRASER, N.G. *et al.*, 440

MACFARLANE, A.W. and CURLEY, R.K. Management of toxic epidermal necrolysis with a hydrogel dressing and fluidized-bead bed: report of three cases, 354

MCQUEEN, A. *see* COX, N.H. *et al.*, 250

MARKS, R. *see* TAKAHASHI, M. *et al.*, 246

MACFARLANE, A.W. *see* CURLEY, R.K. *et al.*, 56

MACFARLANE, A.W. *see* LEWIS-JONES, M. SUSAN *et al.*, 419

MACKIE, R.M. *see* JONES, S.K. *et al.*, 5

MACLENNAN, K.A. *see* MISCH, K.J. *et al.*, 53

MCGIBBON, D.H. *see* NEWTON, J.A., 23

MCPHIE, J.L. *see* FRASER, N.G. *et al.*, 440

MAGNUS, I.A. *see* MURPHY, G.M. *et al.*, 61

MARKS, R. *see* HUGHES, B.R. *et al.*, 108

MARSDEN, J.R., MIDDLETON, B. and MILLS, C. Is remission of acne due to changes in sebum composition?, 18

MARSDEN, R.A. *see* MISCH, K.J. *et al.*, 53

MAURICE, P.D.L., RIVERS, J.K., JONES, C. and CRONIN, E. Dermatitis artefacta with artefact of patch tests, 204

MAURICE, P.D.L., SCHOFIELD, O. and GRIFFITHS, W.A.D. Cheyletiella dermatitis: a case report and the role of specific immunological hypersensitivity in its pathogenesis, 381

MAURICE, P.D.L. *see* NORRIS, P.G. *et al.*, 403

MAVLIGIT, G.M. *see* KURZROCK, R. *et al.*, 326

MAYOU, S.C., CALDERON, R.A., GOODFELLOW, A. and HAY, R.J. Deep (subcutaneous) dermatophyte infection presenting with unilateral lymphoedema, 385

MEYRICK THOMAS, R.H., LOWE, D.G. and MUNRO, D.D. Primary adenoid cystic carcinoma of the skin, 378

MEYRICK THOMAS, R.H., RIDLEY, C.M. and BLACK, M.M. Clinical features and therapy of Lichen Sclerosus et Atrophicus affecting males, 126

MEYRICK THOMAS, R.H. *see* RADEMAKER, M., 457

MARSDEN, R.A. *see* O'BRYAN-TEAR, C.G. *et al.*, 69

MHONOVAR, X.X.X. *see* CLEMENT, M.I., 460

MIDDLETON, B. *see* MARSDEN, J.R. *et al.*, 18

MILLARD, P.R. *see* COLVER, G.B. *et al.*, 1

MILLS, C. *see* MARSDEN, J.R. *et al.*, 18

MISCH, K.J., MACLENNAN, K.A. and MARSDEN, R.A. Hypopigmented mycosis fungoides, 53

MISCH, K.J., YUEN, C.T. and RHODES, E.L. Decreased tissue fibrinolytic activity in granuloma annulare, 437

MITCHELL, D., JOHNSON, R.J., TESTA, H.J., HABOUBI, N.Y. and CHALMERS, R.J.G. Ultrasound and radionuclide scans—poor indicators of liver damage in patients treated with methotrexate, 243

MONJOUR, L. *see* FARGE, D. *et al.*, 211

MONK, B.E., ALMEYDA, J.A., CALDWELL, I.W., GREEN, B., PELTA, D., LEONARD, J., DU VIVIER, A., JOHNSON, K. and TOLOWINSKA, I. Efficacy of low-dose cyproterone acetate compared with minocycline in the treatment of acne vulgaris, 319

MONK, B.E. and DU VIVIER, A.W.P. Necrobiosis lipoidica and sarcoidosis, 294

MONK, B.E. and PEMBROKE, A.C. Epidermolysis bullosa with squamous cell carcinoma, 373

MOORE, M.K. *see* HAY, R.J. *et al.*, 175

MOORE, M.K. *see* SUITE, M. *et al.*, 171

MORLEY, W.N. *see* COX, N.H. *et al.*, 375

MORTIMER, P.S. *see* COLVER, G.B. *et al.*, 1

MOSS, C., TAYLOR, A.E.M. and SHUSTER, S. Comparison of cadesomer iodine and dextranomer for chronic venous ulcers, 413

MOULT, P. *see* LANIGAN, S.W. *et al.*, 335

MUHLEMAN, M.F. and GOOLAMALI, S.K. Pemphigus vulgaris in young Asians—a report of three cases and review of the literature, 214

MUNRO, D.D. *see* MEYRICK THOMAS, R.H. *et al.*, 378

MUNRO, D.D. *see* RADEMAKER, M., 457

MURPHY, G.M. and HAWK, J.L.M. Broadening of action spectrum in a patient with solar urticaria, 455

MURPHY, G.M., HAWK, J.L.M., NICHOLSON, D.C. and MAGNUS, I.A. Congenital erythropoietic porphyria (Günther's disease), 61

MYATT, A.E., BAKER, D.J. and BYFIELD, D.M. Sweet's syndrome: a report on the use of potassium iodide, 345

NAZZARO, V., VENENCIE, P.Y. and BLANCHET-BARDON, C. Mast cell phagocytosis of melanosomes in a case of Rothmund-Thomson's congenital poikiloderma, 366

NEILL, S. *see* CLEMENT, M.I., 460

NEWTON, J.A. and MCGIBBON, D.H. The treatment of multiple angiokeratoma with the argon laser, 23

NICHOLSON, D.C. *see* MURPHY, G.M. *et al.*, 61

NOBLE, W. *see* ADRIAANS, B., 317

NORRIS, P.G. Warfarin skin necrosis treated with prostacyclin, 370

NORRIS, P.G. and LEVENE, G.M. Pompholyx occurring during hospital admission for treatment of atopic dermatitis, 189

NORRIS, P.G., MAURICE, P.D.L., SCHOTT, G.D. and GREAVES, M.W. Persistent skin pain after PUVA, 403

NORRIS, P.G. and RIVERS, J.K. Screening for cataracts in patients with severe atopic eczema, 21

NORRIS, P.G. *see* RIVERS, J.K. *et al.*, 207

OPHIR, J. *see* BARKER, J.N.W-N. *et al.*, 397

O'BRYAN-TEAR, C.G., BURKE, M., COULSON, I.H. and MARSDEN, R.A. Hodgkin's disease presenting in the skin, 69

OBASI, O.E. and ISITOR, G.N. Extensive congenital bilateral epidermal naevus syndrome—a case report from Nigeria with ultrastructural observations, 132

ONG-TONE, L. *see* COX, N.H. *et al.*, 250

PAPASAVVAS, G.K., BHALLA, A.K. and LOGAN, R.A. Vertebral hyperostosis associated with etretinate therapy, 202

PASSWELL, J.H. *see* HUSZAR, M. *et al.*, 103

PEARN, J. *see* VILJOEN, D. *et al.*, 12

PEDEN, N.R. *see* KEEFE, M. *et al.*, 343

PEGUM, J.S. Harold Wordsworth Barber, 26

PEKÄNMAKI, K., KOLAI, P.J. and KUISTALA, U. Intermittent pneumatic compression treatment for post-thrombotic ulcers, 350

PELTA, D. *see* MONK, B.E. *et al.*, 319

PEMBROKE, A.C. *see* MONK, B.E., 373

PENMATCHA, M., HIGHET, A.S. and HOPKINSON, J.M. Failure of PUVA in lichen myxoedematosus: acceleration of associated multiple keratoacanthomas with development of squamous carcinoma, 220

PHAURE, T.A.J. *see* ILCHYSHYN, A. *et al.*, 277

PHILLIPS, TANIA, SALISBURY, JENNIFER, LEIGH, IRENE and BAKER, H. Non-Hodgkin's lymphoma associated with long-term axathriopine therapy, 444

RADEMAKER, M., MEYRICK THOMAS, R.H., LOWE, D.G. and MUNRO, D.D. Linear streaking due to bleomycin, 457

RAUCH, H.-J. *see* ZACHARY, C.B. *et al.*, 256

RHODES, E.L. *see* MISCHI, K.J. *et al.*, 437

RIDLEY, C.M. *see* MEYRICK THOMAS, R.H. *et al.*, 126

RIVERS, J.K., NORRIS, P.G., GREAVES, M.W. and SMITH, N.P. Follicular mucinosis in association with Sézary syndrome, 207

RIVERS, J.K. *see* MAURICE, P.D.L. *et al.*, 204

RIVERS, J.K. *see* NORRIS, P.G., 21

ROBINSON, A.E. *see* WALTON, S. *et al.*, 275

ROBINSON, T.W.E. *see* LANIGAN, S.W., 121

ROBERTSON, L.I. Itraconazole in the treatment of widespread tinea versicolor, 178

ROWELL, N.R. *see* CARTWRIGHT, P.H., 451

RYAN, T.J. *see* COLVER, G.B. *et al.*, 1

SADRUDIN, A. *see* DODD, H.J. *et al.*, 36

SALISBURY, J. *see* CLEMENT, M.I., 460

SALISBURY, J. *see* PHILLIPS, T. *et al.*, 444

SANJURJO, M. J. *see* JIMENEZ-ACOSTA, F. *et al.*, 446

SARKANY, I. *see* DODD, H.J. *et al.*, 36

SARKANY, I. *see* DOOTSON, G., 66

SAXE, N. *see* VILJOEN, D. *et al.*, 12

SCHEWACH-MILLET, M. *see* KAHANA, M. *et al.*, 291

SCHOFIELD, O. *see* MAURICE, P.D.L. *et al.*, 381

SCHOTT, G.D. *see* NORRIS, P.G. *et al.*, 403

SCHWARZ, T. *see* DUSCHET, P. *et al.*, 185

SEHGAL, V.N., SRIVASTAVA, G. and SHARMA, V.K. Lupus vulgaris, caries of the spine and lichen scrofulosorum—an intriguing association, 280

SEQUEIRA, J., WRIGHT, S. and BAKER, H. Basal cell tumour with eccrine differentiation (eccrine epithelioma)—a histochemical and immunocytochemical analysis of a case, 58

SHARMA, V.K. *see* SEHGAL, V.N. *et al.*, 280

SHEPARD, G.S. *see* LABADARIO, D. *et al.*, 432

SHOR, R. *see* HUSZAR, M. *et al.*, 103

SHORT, P. *see* LANIGAN, S.W. *et al.*, 335

SHUSTER, S. *see* MOSS, C. *et al.*, 413

SHUSTER, S. *see* SMITH, K., 83, 89

SHUTTLEWORTH, D., WEAVIND, G.P. and GRAHAM-BROWN, R.A.C. Acanthosis nigricans and diabetes mellitus in a patient with Klinefelter's syndrome: a reaction to methyltestosterone, 288

SIGAL, M., GROSSIN, M., LAROCHE, L., BASSET, F.,AITKEN, G., HAZIZA, J.L. and BELAICH, S. Hypopigmented mycosis fungoides, 453

SILVENNOINEN-KASSINEN, S., JAKKULA, H. and KARVONEN, J. Binding of nickel to the mononuclear cells and in the serum of nickel-sensitive and healthy subjects, 265

SINDRUP, J.H., GROTH, S., AVNSTORP, C., TONNESEN, K.H. and KRISTENSEN, J.K. Coexistence of obstructive arterial disease and chronic venous stasis in leg ulcer patients, 410

SLATER, D.N. Cervical nodular localized myxoedema in a thyroideectomy scar: light and electron microscopy and histochemical findings, 216

SMITH, A.G. *see* ILCHYSHYN, A. *et al.*, 277

SMITH, K. and SHUSTER, S. Characterization of the glucocorticoid receptor in human epidermis and dermis, 83

SMITH, K. and SHUSTER, S. A comparison of the glucocorticoid receptors in the dermis and epidermis of the rat, 89

SMITH, N.P. *see* RIVERS, J.K. *et al.*, 207

SONNEX, T.S. *see* LANE, R.P. *et al.*, 40

SOTO-MELO, J. *see* JIMENEZ-ACOSTA, F. *et al.*, 446

SRIVASTAVA, A. *see* HUGHES, B.R. *et al.*, 108

SRIVASTA, G. *see* SEHGAL, V.N. *et al.*, 280

SUB YANG, I. *see* WOO LEE, C., 31

SUITE, M., MOORE, M.K. and HAY, R.J. Leucocyte chemotaxis to antigens of dermatophytes causing scalp ringworm, 171

TAKAHASHI, M., BLACK, D., HUGHES, B. and MARKS, R.

Exploration of a quantitative dansyl chloride technique for measurement of the rate of desquamation, 246

TAYLOR, A.E.M. *see* MOSS, C. *et al.*, 413

TESTA, H.J. *see* MITCHELL, D. *et al.*, 243

TOLOWINSKA, I. *see* MONK, B.E. *et al.*, 319

TONNESEN, K.H. *see* SINDRUP, J.H. *et al.*, 410

TRAU, H. *see* HUSZAR, M. *et al.*, 103

ULSHAGEN, K. *see* BARRY, B.W. *et al.*, 406

VAN STUIJVENBERG, M.E. *see* LABADARIOS, D. *et al.*, 432

VENENCIE, P.Y. *see* NAZZARO, V. *et al.*, 366

VERBOV, J.L. *see* CURLEY, R.K., 124

VIGUER, J.M. *see* JIMENEZ-ACOSTA, F. *et al.*, 446

VILJOEN, D., SAXE, N., PEARN, J. and BEIGHTON, P. The cutaneous manifestations of the Klippel-Trenaunay-Weber syndrome, 12

VISSE, L. *see* LABADARIOS, D. *et al.*, 432

VOULDOUKIS, I. *see* FARGE, D. *et al.*, 211

WALKER, R. *see* LABADARIOS, D. *et al.*, 432

WALTON, C. and WALTON, S. Primary biliary cirrhosis in a diabetic male with dermatitis herpetiformis, 46

WALTON, S. and KECZKES, K. Pemphigus foliaceus—successful treatment with adjuvant gold therapy, 364

WALTON, S., KECZKES, K. and ROBINSON, A.E. A case of penicillamine-induced pemphigus, successfully treated by plasma exchange, 275

WALTON, S. *see* COX, N.H. *et al.*, 375

WALTON, S. *see* WALTON, C., 46

WEAVIND, G.P. *see* SHUTTLEWORTH, D. *et al.*, 288

WECHSLER, B. *see* FARGE, D. *et al.*, 211

WELLS, R.S. *see* CERIO, R. *et al.*, 129

WHITE, J.E. *see* FAIRRIS, G.M. *et al.*, 48

WHITE, S.I. *see* COX, N.H. *et al.*, 375

WHITTAKER, S.J. and GRIFFITHS, W.A.D. Erythromelalnosis follicularis faciei et colli, 31

WHYLER, D.K. *see* CASEMORE, D.P. *et al.*, 286

WIUM, D. *see* LABADARIOS, D. *et al.*, 432

WYATT, E.H. *see* COX, N.H. *et al.*, 375

WOODFORD, R. *see* BARRY, B.W. *et al.*, 406

WOODROW, J.C. *see* CURLEY, R.K. *et al.*, 56

WOO LEE, C. and SUB YANG, I. Cutaneous calcinosis in erythromelalnosis follicularis faciei et colli, 31

WOOLFSON, H. Acne fulminans with circulating immune complexes and leukaemoid reaction treated with steroids and azathriopine, 463

WRIGHT, S. *see* SEQUEIRA, J. *et al.*, 58

WYATT, E.H. Cutis verticis gyrata, 293

WYSOCKI, G.P. and DALEY, T.D. Hypertrichosis in patients receiving cyclosporine therapy, 191

YOUNG, S. *see* HINKS, L.J. *et al.*, 93

YUEN, C.T. *see* MISCH, K.J. *et al.*, 437

ZACHARY, C.B., RAUCH, H.-J. and MACDONALD, D.M. Shared antigenic determinants between cutaneous structures and the natural killer cell monoclonal antibodies Leu 7 and Leu 11, 256

